


## Gardening Notes for June

Summer has arrived! The days are wonderfully long, rain has proven to be ample to date, and the temperatures promise to become more summer-like as the month progresses. June is filled with chores that linger from spring, as well as preparations necessary for the garden to continue to thrive well into late fall. As the temperatures rise, enjoy the coolness of the early morning and evenings for those tasks requiring the most exertion, with the heat of the day reserved for light duties. Try to water in the early morning as well, since evening watering promotes diseases and evaporation is most extreme during the mid-day hours. Also, don't forget your hat and sunscreen. Finally, remember to sit down with your favorite cold beverage to write in your journal and to enjoy the fruits of your efforts!

### Things to do:

#### Flowers

- Finish decorating containers and mixed borders with annuals and tropicals. The cooler weather of May has pushed back much of the planting of tender plants to late May and now. Do not be bashful about using larger and bolder plants such as Banana (*Musa*), Canna, *Alocasia*, *Colocasia* or even some of the larger Bromeliads such as *Aechmea* 'Harvey's Pride' as pictured at right. The bolder foliage adds a wonderful textural impact as well as foliage color.
- Fertilize annuals with a liquid feed once per week through June to give them a good start. If you used slow-release granular fertilizer in your containers, use a 50% dilute solution of the liquid feed. During hot periods, containers may need to be watered twice per day, especially if they are in the sun and the pots are smaller than 12".
- If you have deer, apply a deer spray weekly or after a heavy rain. It is best to rotate to a different type of spray from one week to the next for best effects. Generally, use two to three different types of sprays in your rotation.
- Deadhead May blooming German Iris to reduce the occurrence of the Iris borer as pictured at right. Cut the flower stalks as close to the rhizome as possible. Study the blooms of



your Iris; if the blooms are few and the foliage is limp or overly dense, the plant either needs division or to be moved to a sunnier location. If it needs division, August is the best time to divide.

- Weed! All of the rain and cool weather from May has created abundant growth and many spring blooming weeds are about to go to seed. Remember, weed seeds last an average of 7 years! Also, do not be afraid or feel bad about removing seedlings of more aggressive perennials.

*Brunnera macrophylla* (pictured at right) is a beautiful spring blooming plant, but can certainly monopolize a garden with seedlings after a few years!



- Deadhead hybrid Peonies as they finish blooming. Do not deadhead the Woodland Peonies (*Paeonia obovata* as seen at right or *Paeonia japonica*) since the seed pods are highly ornamental as they split open in early fall. As an additional bonus, they self-sow!



- Lightly fertilize repeat blooming daylilies and Roses at the end of the month for a good August and September bloom.
- Resist the urge to remove the yellowing foliage of Daffodils and other bulbs until it has totally turned brown. The foliage is producing the carbohydrates and storing them in the 'bulbs' to ensure a good floral display for next year.
- As mentioned in previous months, if your Daffodils failed to bloom well this year, dig them up, divide and replant so the bulbs are 6" deep. If they were planted too shallow, they produce offsets that are too small to produce flower



buds.

- Plant native plants like the *Spigelia marilandica* (Indian Pink) pictured at the end! Native plants help feed out butterflies, moths, native bees and caterpillars. We need our insects to thrive so that we can too!
- Consider reducing the amount of unneeded turf and replacing them with groundcovers. Plants like *Diervilla lonicera* or Bush Honeysuckle pictured above and the flowers at right makes for a great underused groundcover that smoothers out weeds and is drought tolerant.



- Pinch plants that can get unruly and too tall, or those plants that are growing in soil that is too rich and the plants tend to collapse as they grow too tall. Plants to consider pinching are Tall Tickseed (*Coreopsis tripteris*), Sedum 'Autumn Joy' and many of the Asters on the market. The Sedum 'Autumn Joy' on the right has yet to get floppy but without an early June pinch, the excessive growth from the fertile soils will encourage the plant to flop in last summer.



- Plant non-hardy bulbs like *Gladiolus murielae* (formerly *Acidanthera murielae*) in the garden and in pots. The bulbs typically bloom around 8 weeks following planting and it is good to stagger the planting to extend the bloom period. In addition, the plants can be dug in the fall and saved from year to year. Typically, the two-year-old and older corms are larger and will provide a much fuller and slightly later display than those newly purchased! At right is a pot with newly purchased corms on the left and corms dug from the



previous year on the right. Not only are the older corms later to bloom, they also produce taller and more full clumps.



### Shrubs and Trees

- For small trees and shade trees, pinch off most of the water sprouts that you see growing from branches or stems – typically they appear at points where water sprouts or a branch was pruned off this past winter! Removing them as they start to grow discourages future dormant bud break.
- Many low branched trees may need to have portions of the lowest branches removed, as the new growth from May and early June adds weight to the branch, causing it to droop ever lower. This is a chore that often needs to be done each year until the tree is at least 15-20 years of age and the stems are of significant size to support the added weight.
- Selectively prune 2-3 stems of leggy multi-stemmed shrubs such as *Fothergilla* that may be growing in too much shade back to 6-8” tall in order to promote new growth from the base. Early June is also a great time to prune Azaleas and Rhododendrons as they finish blooming, since it will not impact next year’s bloom!

### Turf

- Cut turf weekly to a height of 3-3½”.
- During periods of drought, irrigate the turf for extended periods in the early morning, promoting deep root growth. As the summer heat begins, raise the cutting height to 3” to reduce the stress on the turf.

### Vegetables

- Harvest spinach, lettuce, radishes and arugula daily. As the days become hotter, the lettuce will become increasingly bitter and less tasty. These plants will also produce flowers or ‘bolt’, after which the foliage becomes extremely bitter, so it is important to harvest while the plants are smaller. Once the plants begin to bolt, remove them and plant summer squash, okra, cucumbers, pole beans, or other vegetables that will provide a yield in 65-70 days (September into October).
- Early June is time to thin your beets to 3” apart should you wish to harvest baby beets or 5-6” should you wish them to grow larger. Either pull out or cut off the baby foliage, should you not wish to disturb the soil. Don’t throw away the leaves either, since they are a great addition to salads!

- It is not too late to plant tomatoes. Planting in June often avoids the problems with early blight as well! If the plants are leggy, bury the stem up to the first true leaf, as the stem will produce roots and yield a sturdier plant. As the tomatoes grow, make certain that they are staked, lifting the fruit to come off the ground and reducing the chance of decay.

- For tomatoes, it is ideal to pinch off the lower shoots up to the point of the first flower cluster (pictured at right). This will allow for a more manageable plant to train and a more sustainable crop of fruit.

- Planting tomatoes in rows with a sturdy stake at each end allows you to easily support the plants by weaving two strings on either side of the plants, connected to the stakes at either end. The weaving of the string can be seen in the two images at right.


- Early in the month, plant Eggplant, Peppers, Okra, Basil and other plants that prefer heat of summer

- Mulch vegetables with newsprint or cardboard covered with straw, reducing weeds and water loss. This is ideal for Heirloom tomatoes since they need consistent soil

- moisture in order to discourage splitting of the fruit. You can also mulch with lawn clippings provided that herbicides or insecticides were not applied to the turf.

- Stop harvesting asparagus and rhubarb. They need to produce stalks and leaves of sufficient size in order to develop the energy reserves for next year's harvest (the same reason that you do not remove bulb foliage until it has turned totally brown).

- Compost! If you have yet to set up a composting bin, this is a good time to start. Not only can most weeds (without seeds) go into the bin, but so can bolted lettuce plants and greens left from the dinner table. It is a great way to do our part to help reduce landfill waste.





*Spigelia marilandica* – Indian Pink

Bruce Crawford  
Manager of Horticulture, Morris County Parks Commission